



UTV BUDDY

North America's #1 Manufacturer of High-Quality Cleaning Equipment

Cold-Water Pressure Washer Skid

Fits in most Utility Vehicles (UTV's) and Pickup Trucks



Professional-duty **Trigger gun and spray wand** with adjustable side grip

Wand Holder secures wand and gun when not in use

65-gal. **water tank** with stainless steel straps

50 ft. **wire-braided hose** includes guards, couplers and swivels at both ends

Subaru 6 HP gas engine

Downstream detergent injection allows remote detergent injection

100-ft. **hose reel** protects hose when not in use

Recessed **stainless steel cubby** for detergent or tool storage

Convenient **fork lift** openings for easy maneuvering

All-steel frame with powder coat paint

Five, high-pressure **stainless steel nozzles**: 0°, 15°, 25°, 40° and a detergent nozzle



Heavy-duty Hotsy Triplex pumps carry a 7-year limited warranty

FEATURES

- Lightweight Skid Design
- 2.5 GPM @ 2700 PSI
- Hotsy Direct Drive Pump
- Gasoline Engine



www.Hotsy.com

Nothing Cleans Like a Hotsy!

UTV Buddy Cold Water Pressure Washer Skid

The Hotsy UTV Buddy Series: The Compact Choice for Mobile Cleaning

UTV BUDDY SPECIFICATIONS - Gasoline Model

DIRECT DRIVE

■ 2.5 GPM @ 2700 PSI

■ Fits most UTV's and Pickup Trucks

■ Recoil gas engines

■ ETL Certified

MODEL	GPM	PSI	ENGINE / MODEL	CC's	START	TRIPLEX PUMP MODEL	TANK CAPACITY	HOSE	SHIP WT (lbs)
DGB-252719	2.5	2700	Subaru EX17	169	RECOIL	HG2530G	65 gal.	50'	490

Dimensions: 39.942"L x 47.75"W x 35.38" H

Note: The unit should only be placed in UTV's with weight capacities of 1,000 lbs. or greater.

DON'T FORGET THE SOAP!

Hotsy pressure washers clean best when matched with specially formulated Hotsy detergents. Nearly all contain Hotsy's exclusive advanced-formula HCC additives to help prevent scale build-up and to fight corrosion in your equipment. All are highly concentrated, so a little goes a long way.




HOTSY SOLUTION SELECTOR
What's the best detergent for your next job? Find out with our solution selector. Scan this QR code or visit HOTSY.COM

OPTIONS FOR 500 SERIES

- Rubber Feet to reduce vibration
- Inline Filter to improve incoming water conditions
- Lifting Eye Bolts
- 3-Way Valve to use onboard water tank or garden hose

PARTS & ACCESSORIES

Your local Hotsy dealer would be happy to provide an onsite demonstration to determine which pressure washer accessories will help speed cleaning and lower your costs. Hotsy dealers stock thousands of pressure washer replacement parts such as high pressure hose, trigger guns, high pressure nozzles, pumps, engines, motors, unloaders, filters and wands. In addition, you'll find a number of accessories designed to speed cleaning, the most common accessories are telescoping wands, pivot and non-pivot hose reels, flat surface cleaners and high pressure turbo nozzles. Consider the X-Jet long range nozzle for spraying fruit trees and those hard to reach areas.



SERVICE & REPAIR

Hotsy has more than 175 local dealers in North America, all factory-trained to properly evaluate your high-pressure cleaning needs.

Hotsy has factory-trained service technicians who will provide on-site maintenance for your cleaning equipment. Our techs have most common replacement parts on their service truck, and will quickly have your washer running smoothly.



FIND OUT MORE ONLINE: HOTSY.COM

Distributed by:

hotsy *Nothing Cleans Like a Hotsy!*

Tel: (800) 525-1976 Fax: (888) 880-9631
www.Hotsy.com email: info@Hotsy.com
P/N 9.803-332.0 Effective 3/16



Specifications & product descriptions subject to change without notice. Hotsy's manufacturing facilities have established and apply a quality and environmental management system to be ISO 9001:2008 and ISO 14001:2001 certified.

A member of KÄRCHER North America

©Hotsy

NOTE: We are constantly improving and updating our products. Consequently, pictures, features and specifications in this brochure may differ slightly from current models. Flow rates and pressure ratings may vary due to variances allowed by manufacturers of our machine components. We attempt to keep our machine performance within ±10% of listed specifications.